


PROTEC PROSICON® EPS 350

High Temp Masking Dual Flanged Pull Plugs

PROTEC
PLASTICS



YOUR PROSICON® PRODUCT ADVANTAGE. BEST PRICE PERFORMANCE IN THE MARKET.

HIGH TEMP MASKING DUAL FLANGED PULL PLUGS.

Designed for weld nuts of varying thread sizes.
Will not blow out due to air pressure.

Recommended for Powder coating, e-coating, plating & anodizing.

PREMIUM SILICONE MATERIAL PROPERTIES.

Prosicon® Silicone rubber 55 shore A withstands temperatures up to max. 316 ° C / 4 hours. On request also in EPDM material up to max. 177 ° C available.

PROSICON® BLU SIGNATURE® PRODUCT CODE.

Premium. Reusable. Stabilized with Special Blends.

COLOR OPTIONS.

Special color runs available on request.

TECHNICAL CLEANLINESS FOR ACCURATE MASKING.

Prosicon® Silicone Maskign Caps and Plugs are stabilized and tempered separately. This process improves dimensional stability and prevents plasticizer exudation during customer applications under high temperature conditions.

PREMIUM SILICONE MATERIAL PROPERTIES.

Prosicon® Silicone Maskign Caps and Plugs have an excellent resistance to high temperature, chemicals and acids and can be used several times without loss of quality.

HEAT RESISTANT!

MATERIALS SELECTION GUIDE.

EPDM rubber, Neoprene, NBR rubber, SBR, TPE, ecc.

APPLICATION.

High Temperature Masking Caps and Plugs to protect your product during finishing processes like powder coating, KTL, Wet painting, anodizing, electroplating and e.coating treatments. Extremely temperature resistant up to 316° C, robust, versatile and time-saving in application.

SILICONE / EPDM CUSTOM DESIGN AT RECORD SPEED.

On request we develop and produce individually tailored solutions along with the standard items of this range: If you require additional dimensions, different materials and new colours. We would be pleased to assist you.

Customized. For your special application


Time Saver. Rapid Prototyping & Hi-Speed functional samples

Hi-Speed. Fast Lane Serial Mold Construction

Unbeatable. At the best price in the market

PROTEC PROSICON® EPS 350

High Temp Masking Dual Flanged Pull Plugs



DIMENSIONS

All dimensions in mm

Dimensions									Shore A	Color	Std. Pack	Reference No.
d_1	d_2	d_3	d_4	h_1	h_2	h_3	H	I				
6.93	4.06	1.02	2.03	9.37	15.34	6.22	26.75	1.57	40-45	black	500	EPS 350 / M5
7.80	5.00	1.85	5.00	10.26	20.42	6.73	9.14	2.03	40-45	green	500	EPS 350 / M6
9.50	6.71	3.28	5.59	12.32	19.76	8.76	10.41	2.03	40-45	blue	500	EPS 350 / M8XL
9.50	6.71	3.28	3.81	11.56	20.52	8.00	10.41	2.03	40-45	red	500	EPS 350 / M8
9.53	6.63	3.56	5.33	10.67	20.57	7.11	12.95	1.78	40-45	blue	500	EPS 350 / 0261
10.67	6.86	3.81	5.72	9.88	19.05	6.73	15.88	3.18	40-45	white	500	EPS 350 / 0270A
10.80	8.00	4.57	5.08	10.67	20.42	6.60	9.14	2.03	40-45	black	500	EPS 350 / 0315
11.30	8.51	5.08	3.81	10.16	20.42	6.60	9.14	2.03	40-45	green	500	EPS 350 / 0335
11.30	8.51	5.08	3.81	12.55	20.42	8.99	11.43	2.03	40-45	green	500	EPS 350 / M10
11.30	8.51	5.08	6.99	12.55	20.42	8.99	11.43	2.03	40-45	pink	500	EPS 350 / 0335L
13.00	10.26	5.08	5.61	13.97	25.40	9.91	9.14	2.03	40-45	yellow	250	EPS 350 / 0404
13.00	10.31	5.08	5.61	10.16	27.81	6.60	9.14	2.03	40-45	violet	250	EPS 350 / 0410
13.00	10.31	5.08	5.61	15.16	26.80	11.61	14.15	2.03	40-45	violet	250	EPS 350 / M12
13.21	10.16	5.08	7.62	15.37	27.05	11.30	17.91	2.03	40-45	yellow	250	EPS 350 / 0400
16.99	13.46	7.87	10.16	18.03	32.00	13.97	20.57	2.03	40-45	green	100	EPS 350 / 0530
17.40	13.59	7.11	8.89	17.53	31.24	13.97	16.51	2.03	40-45	white	100	EPS 350 / M16
21.01	16.99	10.52	12.29	21.59	34.38	18.01	20.55	2.03	40-45	blue	100	EPS 350 / M20

Should your requirements not be shown please ask for a separate quotation.
 PROTEC products and specifications are subject to improvement and change without notice.