

PROTEC PROSICON® EPS 550

High Temp Silicone Caps - Dome Top – internal lip



YOUR PROSICON® PRODUCT ADVANTAGE. BEST PRICE PERFORMANCE IN THE MARKET.

HIGH TEMP SILICONE CAPS - DOME TOP – INTERNAL LIP:

Protective and insulating caps with internal lip are specially designed for degassing and reducing heat build-up during powder coating, KTL, electroplating and anodizing. They are ideal as round masking for axes, bolts, threads and cylinder pins. Recommended for Powder coating, e-coating, plating & anodizing.

PREMIUM SILICONE MATERIAL PROPERTIES.

Prosicon® Silicone rubber 55 shore A withstands temperatures up to max. 316 ° C / 4 hours. On request also in EPDM material up to max. 177 ° C available.

PROSICON® BLU SIGNATURE® PRODUCT CODE.

Premium. Reusable. Stabilized with Special Blends.

COLOR OPTIONS.

Special color runs available on request.

TECHNICAL CLEANLINESS FOR ACCURATE MASKING.

Prosicon® Silicone Maskign Caps and Plugs are stabilized and tempered separately. This process improves dimensional stability and prevents plasticizer exudation during customer applications under high temperature conditions.

PREMIUM SILICONE MATERIAL PROPERTIES.

Prosicon® Silicone Maskign Caps and Plugs have an excellent resistance to high temperature, chemicals and acids and can be used several times without loss of quality.

HEAT RESISTANT!

MATERIALS SELECTION GUIDE.

EPDM rubber, Neoprene, NBR rubber, SBR, TPE, ecc.

APPLICATION.

High Temperature Masking Caps and Plugs to protect your product during finishing processes like powder coating, KTL, Wet painting, anodizing, electroplating and e.coating treatments. Extremely temperature resistant up to 316° C, robust, versatile and time-saving in application.


SILICONE / EPDM CUSTOM DESIGN AT RECORD SPEED.

On request we develop and produce individually tailored solutions along with the standard items of this range: If you require additional dimensions, different materials and new colours. We would be pleased to assist you.

- Customized.** For your special application
- Time Saver.** Rapid Prototyping & Hi-Speed functional samples
- Hi-Speed.** Fast Lane Serial Mold Construction
- Unbeatable.** At the best price in the market

PROTEC PROSICON® EPS 550

High Temp Silicone Caps - Dome Top – internal lip



DIMENSIONS

All dimensions in mm

Dimensions			Color	Standard Pack	Reference No.
d ₁	d ₂	H			
3.00	6.00	39.00	natural	500	EPS 550 / 3-6
6.00	9.00	39.00	natural	500	EPS 550 / 6-9
9.00	12.00	39.00	natural	250	EPS 550 / 9-12
12.00	15.00	39.00	natural	250	EPS 550 / 12-15
15.00	18.00	39.00	natural	250	EPS 550 / 15-18
18.00	21.00	39.00	natural	250	EPS 550 / 18-21
21.00	24.00	39.00	natural	100	EPS 550 / 21-24
24.00	27.00	39.00	natural	100	EPS 550 / 24-27
27.00	30.00	52.00	natural	100	EPS 550 / 27-30
30.00	33.00	52.00	natural	100	EPS 550 / 30-33
33.00	36.00	52.00	natural	100	EPS 550 / 33-36
36.00	39.00	52.00	natural	100	EPS 550 / 36-39
39.00	42.00	52.00	natural	50	EPS 550 / 39-42
42.00	45.00	52.00	natural	50	EPS 550 / 42-45
45.00	48.00	52.00	natural	50	EPS 550 / 45-48
48.00	51.00	52.00	natural	50	EPS 550 / 48-51
51.00	54.00	52.00	natural	50	EPS 550 / 51-54

Should your requirements not be shown please ask for a separate quotation.
 PROTEC products and specifications are subject to improvement and change without notice.